Approved for use through 07/31/2008, QMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Raduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Substitute for form 1449/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

Complete it Known			
	Application Number	10/657,829	
	Filing Date	September 9, 2003	
	First Named Inventor	Krivitski, Nikolai M.	
	Art Unit	3736	
	Examiner Name	Pani, John	
•	Attorney Docket Number	86017.000037	

Examiner Initials*	Cite No.1	Decument Number Number-Kind Code <sup>2 (#koown)</sup>	Publication Date	DOCUMENTS  Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	1.	<sup>US-</sup> 6,623,436	09-23-2003	Krivitski et al.	
		US-			
		US-			
***************************************		US-			
	************	US-			
	•••••	US-			
***************************************		US-			
************		US-			
		US-			
		US-			
		US-			
************		US-	<del></del>		
		US-			
***************************************		US-			
		US-			

Examiner Initials*	carniner Cite Foreign Patent Document	Foreign Patent Document	PATENT DOCU Publication Date	Name of Patentes or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear
		MM-DO-YYYY	The state of the s	Or Relevant Figures Appear	
·· · · · · · · · · · · · · · · · · · ·					
***************************************					

, <del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	·		
Examiner		Date	
Cimplestina		E COLCO	;
ວທີ່ນອກກະລ		Considered	
<u> </u>	1		:

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. "Applicant's unique citation designation number (optional). "See Kinds Codes of USPTO Patent Occuments at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. "Enter Office that issued the document, by the two-letter code (VIPO Standard ST.3). "For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document." Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. "Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Pepenwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid CMB control number. Complete if Known Substitute for form 1449/PTO **Application Number** 10/647.829 INFORMATION DISCLOSURE Filing Date September 9, 2003 STATEMENT BY APPLICANT First Named Inventor Krivitski, Nikolai M. Art Unit 3736 (Use as many sheets as necessary) **Examiner Name** Pani, John Sheet Attorney Docket Number 2 ΒĒ 86017.000037

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials*	the state of the s		₹2	
	2.	Measurement of Coronary Sinus Blood Flow by Continuous Thermodilution in Man; Circulation, vol. XLIV, Aug. 1971		
	3.	Measurement of Flow in Single Blood Vessels Including Cardiac Output by Local Thermodilution; Circulation Research, vol. VIII, Jan. 1960		
	- <b>4</b> ,	Measurement of Blood Flow by Local Thermal Dilution; Society, Mar. 20-21 1964		

han	*******	ELLE.
Examiner	Date	
Signature	Considered	
***************************************		

<sup>&</sup>quot;EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). Z Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.